



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), UTTAR PRADESH)

To,

The Sr. General Manager  
DALMIA BHARAT GREEN VISION LIMITED  
11th -12th Floor, Hansalaya building, 15, Barakhamba Road -110001

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/UP/IND1/426676/2023 dated 08 May 2023. The particulars of the environmental clearance granted to the project are as below.

- |  |  |
|--|--|
| 1. EC Identification No.                   | EC23B009UP182833   |
| 2. File No.                                | 7860-6710  |
| 3. Project Type                            | New  |
| 4. Category                                | B  |
| 5. Project/Activity including Schedule No. | 3(b) Cement plants   |
| 6. Name of Project                         | Proposed Stand-alone Grinding Unit with Cement Production Capacity of 5.0 Million TPA (Line I - 2.5 Million TPA and Line II - 2.5 Million TPA) and D.G. Set of 2000 KVA (Line I - 2 x 500 KVA and Line II - 2 x 500 KVA) at Village: Nevada, Tehsil: Lalganj, District: Mirzapur, Uttar Pradesh. |
| 7. Name of Company/Organization            | DALMIA BHARAT GREEN VISION LIMITED   |
| 8. Location of Project                     | UTTAR PRADESH  |
| 9. TOR Date                                | N/A  |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 01/07/2023

(e-signed)  
Member Secretary  
Member Secretary  
SEIAA - (UTTAR PRADESH)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*



## State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010

E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com

Phone no- 0522-2300541

Reference- MoEFCC Proposal no- SIA/UP/IND1/426676/2023 & SEIAA, U.P File no-7860-6710

**Sub: Environmental Clearance for Proposed Stand-alone Grinding Unit with Cement Production Capacity of 5.0 MTPA (Phase - I/ Line I - 2.5 MTPA and Phase - II/ Line II - 2.5 MTPA) and D.G. Set of 2000 KVA (Line I - 2 x 500 KVA and Line II - 2 x 500 KVA) at Village - Nevada, Tehsil - Lalganj, District - Mirzapur, Uttar Pradesh, M/s Dalmia Bharat Green Vision Limited.**

Dear Sir,

This is with reference to your application / letter dated 29-11-2021, 29-12-2021, 08-05-2023 on above mentioned subject. The matter was considered by 761<sup>st</sup> SEAC in meeting held on 07-06-2023 and 744<sup>th</sup> SEIAA meeting held on 16-06-2023.

A presentation was made by the project proponent along with their consultant M/s J.M. Enviro Net Pvt. Ltd to SEAC on 07-06-2023.

### **Project Details Informed by the Project Proponent and their Consultant**

The project proponent, through the documents and presentation gave following details about their project –

1. The environment clearance is sought for Proposed Stand-alone Grinding Unit with Cement Production Capacity of 5.0 MTPA (Phase - I/ Line I - 2.5 MTPA and Phase - II/ Line II - 2.5 MTPA) and D.G. Set of 2000 KVA (Line I - 2 x 500 KVA and Line II - 2 x 500 KVA) at Village - Nevada, Tehsil - Lalganj, District - Mirzapur, Uttar Pradesh, M/s Dalmia Bharat Green Vision Limited.
2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 133/Parya/SEIAA/6710/2022, dated 15/07/2022.
3. The public hearing was organized on 08<sup>th</sup> October, 2022. Final EIA report submitted by the project proponent on 08/05/2023.
4. Salient features of the project:

S. N.	Particulars	Details				
		Particular	Unit	Proposed Capacity		Total
				Line - I	Line - II	
	Project Proposal	Cement (All Varieties)	Million TPA	2.5	2.5	5.0
		Emergency/ Backup Power D.G. Set	KVA	2 x 500	2 x 500	2000
A.	Nature of Project	New Project (Greenfield)				
B.	Size of Project	Cement: 5.0 Million TPA (Line I - 2.5 Million TPA & Line II - 2.5 Million TPA) (All varieties) D.G. Set: 2000 KVA (Line I - 2 x 500 KVA & Line II - 2 x 500 KVA)				
C.	Location Details					
1.	Khasra No.	21, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66				

2.	Village	Nevada
3.	Tehsil	Lalganj
4.	District	Mirzapur
5.	State	Uttar Pradesh
6.	Geographical Coordinates	Latitude: 24°54'46.09"N to 24°55'06.78"N Longitude: 82°13'31.35"E to 82°13'49.07"E
7.	SOI Toposheet No.	Core Zone: G44W1 (63L/1) Study Area: G44Q4 (63K/4), G44Q8(63K/8), G44W1 (63L/1) & G44W5 (63L/5)
D.	Area Details	
1.	Total Project Area	14.062 ha
2.	Greenbelt Area/ Plantation Area	Out of the total plant area i.e., 14.062 ha, 4.65 ha (33 % of the total plant area) will be covered under greenbelt / plantation.

5. Land use details:

S. No.	Unit	Area (in Acres)	Area (in ha)	Area (in %)
A	Plant Area	33.87	13.70	97
i)	Production Area	3.11	1.25	9
ii)	Storage Area	4.19	1.70	12
iii)	Internal Roads	6.17	2.50	18
iv)	Open Area	8.79	3.56	25
v)	Greenbelt / Plantation (33% of total project area including peripheral Plantation)	11.49	4.65	33
B	Truck Parking	1.0	0.40	3
Total Project Area (A + B)		34.75	14.062	100

6. Raw material details:

S. No.	Raw Material	Requirement (Million TPA)				Source	Distance & Mode of Transportation
		OPC	PPC	Composite	PSC		
1.	Clinker	2.375	1.55	0.9	0.8	Integrated Cement Plant of Company at Rajgangpur and Kalyanpur, Proposed integrated unit at Satna, & Open market	250 - 600 km by Road
2.	Gypsum	0.125	0.075	0.05	0.075	Hanumangarh, Rajasthan/Open Market	1300 km by Road
3.	Fly ash	-	0.875	0.85	-	Allahabad, Sonbhadra, Raebareli, Ambedkar Nagar	100 - 200 km by Road
4.	Slag	-	-	0.7	1.625	Chhattisgarh, Jharkhand	300 - 600 km by Road
	Total	2.5	2.5	2.5	2.5		

7. Fuel requirement details:

S. No.	Name of Fuel	Quantity Required		Source	Distance & Mode of Transportation
		Line - I	Line - II		
1.	Diesel (KLD)	0.3	0.3	From Nearby Fuel depot	Nearby area by

					Road
2.	Coal (Million TPA) - on dry basis for HAG	0.57	0.57	E-Auction/ Open Market/ Chhattisgarh, Jharkhand etc.	400-800 km by Road

8. Power requirement:

S. No.	Particulars	Requirement			Source	
		Line - I	Line - II	Total		
1.	Water Requirement (KLD)*	180	155	335	Groundwater and Rain Water Harvesting	
2.	Power Requirement (MW)	13	12	25	Uttar Pradesh Power Corporation Limited (UPPCL) / State Electric Grid and Roof-top Solar Panel, D.G. Set (for emergency back-up)	
3.	Manpower Requirement	Operation Phase			Locals will be given preference in employment as per their eligibility.	
		Regular	56	22		78
		Contractual	102	40		142
		Total	158	62		220
		Implementation Phase	45	20		65
	Total	203	82	285		

9. Water calculation details:

S. No.	Purpose	Proposed Fresh Water Requirement (KLD)			Recycled Water (KLD)	Total
		Line - I	Line - II	Total		
1	Industrial (Mill Spray And Cooling)	160	150	310	1	311
2	Domestic Utilities	9	6	15	-	5
3	Drinking Purposes	3.5	1.5	5	-	15
4	Greenbelt Development	3	2	5	10	15
Total		180	155	335	11	346

Treated water from STP (10 KLD) will be used for Greenbelt development / Plantation and RO reject water (1 KLD) will be used for Dust Suppression purposes.

10. Project has proposed 02 rainwater harvesting ponds of (0.15 Ha) 18000 cum capacity and 05 recharge Pits of (246 m<sup>3</sup>/hr. filling capacity).

11. Machinery details:

S. No.	Description	Unit	Capacity		Total
			Line - I	Line - II	
1.	Truck Tippler & Box Feeder	TPH	3 x 300	-	3 x 300
2.	Stacker Reclaimer	TPH	1800 / 300	-	1800 / 300
3.	Dry Fly ash unloading	TPH	200	-	200
4.	Startup FBC	Mkcal / hr	25	25	50 (2 x 25)
5.	Cement Mill	Million TPA	2.5	2.5	5 (2 x 2.5)
6.	Packer	TPH	2 x 240	2 x 240	480 (4 x 240)
7.	Truck Loaders	TPH	6 x 120	6 x 120	1440 (12 x 120)
8.	Bulk Loader	TPH	1 x 200	1 x 200	400 (2 x 200)

12. Solid and hazardous waste details:

Plant Unit	Section	Type	Waste	Approx.	Treatment / Disposal
------------	---------	------	-------	---------	----------------------

		of Waste		Quantity (TPA)	
Grinding Unit	APCE	SW	Dust	119000	Dust collected from various APCEs will be totally recycled into the process.
STP	-	SW	STP Sludge	0.2	Used as manure for greenbelt development/ plantation.
Plant Maintenance	Different sections	HW	Used / Spent Oil (5.1)	30	Will be sold to the CPCB/ SPCB authorized recyclers.
			Contaminated cotton rags or other cleaning materials (Cat. 33.2)	0.4	
			Empty barrels/containers/liners (Cat. 33.1) contaminated with hazardous chemicals /wastes	10	
			Lead Acid batteries	12	
MSW	Plant Canteen	Dry / Wet	Bottles, paper, cans, textile, etc.	29.2	Will be sold to authorized recycler/ Will be Disposed after segregating into bio-degradable and non-degradable waste. Bio-degradable waste will be composted & utilized for plantation/greenbelt development and non-degradable wastes which will be disposed off suitably. Concept of waste minimization 3R's (Recycle, Reduce & Recover) scheme will be adopted.
			Kitchen and canteen/ Green waste		

13. The project proposal falls under category-3(b) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 07-06-2023 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 16-06-2023 and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

**Additional conditions:**

- I. Project proponent should explore the possibility of reducing ground water usage and try to minimize in the future.*
- II. Three tier green belts shall be developed with native species all along the periphery of the project. Site survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years (Miyawaki method to be adopted for plantation)*

- III. **Performance test shall be conducted on all pollution control system every year and report shall be submitted to Regional office of the MoEF and CC.**
- IV. **Greening and paving shall be implemented in the plant area to arrest soil erosion and dust pollution exposed soil surface.**
- V. **Properly covered vehicles shall be used while transporting material and product.**
- VI. **Allergy test should also be included in health checkup of works.**

**Standard environmental clearance conditions:**

***I. Statutory compliance***

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area).
- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the State pollution Control Board.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

***II. Air quality monitoring and preservation***

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at two locations (one within and one outside the plant area), covering upwind and downwind directions .
- iv. The project proponent shall submit monthly summary report of continuous stack

emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report.

- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
- x. Provide wind shelter fence and chemical spraying on the raw material stock piles.
- xi. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport.
- xiii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

**III. Water quality monitoring and preservation:**

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (Case to case basis small plants: Manual; Large plants: Continuous).
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers /sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to Zero Liquid Discharge.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimize water consumption in the

cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

**IV. Noise monitoring and prevention**

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules , 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

**V. Energy Conservation measures**

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas.
- iii. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

**VI. Waste management**

- i. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- ii. Kitchen waste shall be composted or converted to biogas for further use. (to be decided on case to case basis depending on type and size of plant).

**VII. Green Belt**

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.
- ii. The industry shall develop green belt as per the map provided by the PP and adopt area in existing industrial area to compensate 33% green belt.
- iii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

**VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

**IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable,



- regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation/violation of the environmental / forest /wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
  - iii. A separate Environmental Cell both at the project and company head quarter level , with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
  - iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry /Regional Office along with the Six Monthly Compliance Report.
  - v. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
  - vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.
- x. **Miscellaneous**
- i. Under CER activity as committed ambulance for handicapped, equipped with medical facilities may be provided.
  - ii. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
  - iii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
  - iv. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
  - v. The project proponent shall monitor the criteria pollutants level namely; PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
  - vi. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
  - vii. The project proponent shall submit the environmental statement for each

- financial year in Form-V to the State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  - ix. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  - x. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
  - xi. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  - xii. Concealing factual data or submission of false /fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  - xiii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
  - xiv. The Ministry reserves the right to stipulate additional conditions if found necessary.
  - xv. The Company in a time bound manner shall implement these conditions.
  - xvi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  - xvii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
  - xviii. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Mirzapur. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically be deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically be deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report

regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

**Copy, through email, for information and necessary action to –**

1. **Additional Chief Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – psforest2015@gmail.com)**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – sudheer.ch@gov.in)**
3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – rocz.lko-mef@nic.in)**
4. **District Magistrate, Mirzapur.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.com)**
6. **Copy to Web Master for uploading on PARIVESH Portal.**
7. **Copy for Guard File.**

**(Ajay Kumar Sharma)  
Member Secretary, SEIAA**

